EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	145	("370"/$.CCLS.) AND ((bs OR (base NEAR station) OR bts OR bsc OR msc OR smsc OR (mobile NEAR switch$4 NEAR center) OR server OR core) NEAR3 (transmi$9 OR send$4 OR sent OR forward$4 OR egress$4) NEAR3 ((dummy OR postspeech OR (post NEAR speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 16:20
S2	161	("370"/$.CCLS.) AND (((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4) NEAR3 (speech $4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9)) SAME ((dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 16:28

| S3 | 71 | ("370"/$.CCLS.) AND ((((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4) NEAR3 (speech $4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9)) SAME ((dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) SAME3 (bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR cellular OR mobile OR wireless)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2010/05/17 16:38 |
| S4 | 88 | ("370"/$.CCLS.) AND ((((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4) NEAR3 (speech $4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9)) SAME ((dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) SAME3 (bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR cellular OR mobile OR wireless OR ms OR msc)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2010/05/17 16:40 |

| S5 | 50 | ("455"/$.CCLS.) AND ((((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4) NEAR3 (speech $4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9)) SAME ((dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) SAME3 (bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR cellular OR mobile OR wireless OR ms OR msc)) AND @ad<"20021213" | US-PGPUB; USPAT | OR | ON | 2010/05/17 17:03 |
| S9 | 11 | (((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4) NEAR3 (speech $4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9)) SAME ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc) NEAR3 (transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) NEAR3 (dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame | US-PGPUB; USPAT | OR | ON | 2010/05/17 17:09 |

		OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"				
S11	358	((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv$6) OR bst) NEAR3 (transmi $9 OR forward$4 OR send $4 OR sent OR egress$4 OR output$6 OR transfer $6 OR pass$4 OR generat $6) NEAR3 (dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 17:23
S12	228	("370"/$.CCLS.) AND ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv$6) OR bst) NEAR3 (transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) NEAR3 (dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) NEAR3 (packet OR frame	US-PGPUB; USPAT	OR	ON	2010/05/17 17:24

		OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"				
S13	50	("370"/$.CCLS.) AND ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv$6) OR bst) ADJ3 (transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) ADJ3 (dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 17:24
S14	30	("455"/$.CCLS.) AND ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv$6) OR bst) ADJ3 (transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) ADJ3 (dummy OR postspeech OR (post ADJ2 speech) OR null OR empty OR blank OR vacant OR void OR keepalive OR (keep$4 NEAR alive) OR nois$9 OR white OR silence OR silent OR paus$4 OR idl$4)	US-PGPUB; USPAT	OR	ON	2010/05/17 17:35

		ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"				
S19	12	("455"/$.CCLS.) AND ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv$6) OR bst) ADJ3 (transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) ADJ3 (sid OR (silen$6 ADJ2 indicat$6) OR (silen $6 ADJ2 descript$6))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 17:55
S25	17	("370"/$.CCLS.) AND ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv$6) OR bst OR bss) NEAR3 ((keep$4 ADJ2 alive) OR keepalive)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 18:42
S26	72	("370"/$.CCLS.) AND (((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4 OR between) NEAR3 (speech$4 OR speak$4 OR talk$4 OR voic $4 OR verbal$9 OR oral $9)) SAME ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv $6) OR bst OR bss) ADJ3 (transmi$9 OR forward$4	US-PGPUB; USPAT	OR	ON	2010/05/17 18:46

		OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) ADJ3 (data OR information))) AND @ad<"20021213"				
S27	51	("370"/$.CCLS.) AND (((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4 OR between) NEAR3 (speech$4 OR speak$4 OR talk$4 OR voic $4 OR verbal$9 OR oral $9)) WITH ((bs OR bsc OR (base ADJ2 station) OR (access ADJ2 point) OR ap OR msc OR bts OR (base ADJ2 tranceiv$6 ADJ2 station) OR (base ADJ2 station ADJ2 tranceiv $6) OR bst OR bss) ADJ3 (transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) ADJ3 (data OR information))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 18:47
S29	94	("370"/$.CCLS.) AND (((end$4 OR finish$4 OR stop$6 OR halt$4 OR suspend$4 OR suspension ceas$9 OR cessation OR paus$4) NEAR3 (speech $4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9)) NEAR3 ((transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6) ADJ3 (data OR information))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/17 18:49

S30	270	("370"/$.CCLS.) AND ((data OR information) ADJ3 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:23
S31	12	("370"/$.CCLS.) AND ((data OR information) ADJ3 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:24
S35	73	("370"/$.CCLS.) AND ((data OR information) NEAR3 (between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:34
S36	28	("370"/$.CCLS.) AND ((between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) ADJ3 (data OR information)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:35
S38	30	((data OR information) ADJ3 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:37

S40	1005	(between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:39
S41	18	("370"/$.CCLS.) AND ((transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6 OR placed OR insert$4 OR scheduled) ADJ3 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:40
S42	13	("370"/$.CCLS.) AND ((data OR information) ADJ6 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:45
S43	12	("370"/$.CCLS.) AND ((data OR information) ADJ10 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:47

S46	2	("455"/$.CCLS.) AND ((transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6 OR placed OR insert$4 OR scheduled) ADJ3 between ADJ3 (speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 12:56
S52	27	("370"/$.CCLS.) AND ((data OR information) ADJ6 (between ADJ3 ((speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 13:03
S58	19	("370"/$.CCLS.) AND ((transmi$9 OR forward$4 OR send$4 OR sent OR egress$4 OR output$6 OR transfer$6 OR pass$4 OR generat$6 OR placed OR insert$4 OR scheduled) ADJ3 (between ADJ3 ((speech$4 OR speak$4 OR talk$4 OR voic$4 OR verbal$9 OR oral$9 OR vocal$9) ADJ3 (packet OR frame OR (data NEAR unit) OR cell OR pdu OR segment OR message)))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 13:12

S60	181	("370"/$.CCLS.) AND ((data OR information OR receiv$4 OR receipt OR reception OR ingress$4 OR input$6 OR accept$4 OR com$4 OR incom$4) ADJ3 ((during OR (through ADJ2 out) OR throughout) ADJ3 (silent OR silenc$4 OR quiet$4 OR paus$4))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 13:17
S61	97	("370"/$.CCLS.) AND ((receiv$4 OR receipt OR reception OR ingress$4 OR input$6 OR accept$4 OR com$4 OR incom$4) ADJ3 ((during OR (through ADJ2 out) OR throughout) ADJ3 (silent OR silenc$4 OR quiet$4 OR paus$4))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 13:19
S62	59	("370"/$.CCLS.) AND ((receive OR receiving OR receives OR received OR receipt OR reception OR ingress$4 OR input$6 OR accept$4) ADJ3 ((during OR (through ADJ2 out) OR throughout) ADJ3 (silent OR silenc$4 OR quiet$4 OR paus$4))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 13:20
S63	15	("370"/$.CCLS.) AND ((data OR information) ADJ3 ((receive OR receiving OR receives OR received OR receipt OR reception OR ingress$4 OR input$6 OR accept$4) ADJ3 ((during OR (through ADJ2 out) OR throughout) ADJ3 (silent OR silenc$4 OR quiet$4 OR paus$4)))) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2010/05/18 13:27

EAST Search History (Interference)

< This search history is empty>

5/22/2010 3:00:22 PM
C:\ Documents and Settings\ jsmith1\ My Documents\ EAST\ Workspaces
\ app_10_727726_3rd_RCE.wsp